CHEM2CURE · CHEMISTRY WALL CHART

Functional groups at a glance

The few atoms that decide how a molecule behaves. Learn to spot them, and you can read almost any medicine.


C Carbon skeleton · O Oxygen · N Nitrogen · S Sulfur · X Halogens

The coloured glow marks the group in each drawing.

Chem2Cure — Institute for Chemical Research and Therapeutics

Alkane

C–C, C–H · name: -ane




Isooctane, the petrol benchmark

SPOT IT
Only C–C and C–H single bonds.

WHY IT MATTERS
Greasy and unreactive. Adds bulk and helps a molecule dissolve in fat.

Alkene

C=C · name: -ene




Limonene, citrus peel

SPOT IT
A carbon–carbon double bond.

WHY IT MATTERS
Flat and reactive. It can turn into a single bond by taking on new atoms.

Alkyne

C≡C · name: -yne




Selegiline, Parkinson's disease

SPOT IT
A carbon–carbon triple bond.

WHY IT MATTERS
Straight and rigid. In selegiline it helps the drug lock on to its target enzyme.

Aromatic ring

benzene ring · name: phenyl-




Naproxen, a painkiller

SPOT IT
A flat ring whose electrons are shared all the way round.

WHY IT MATTERS
Very stable and flat. It sits in flat pockets of proteins and adds greasiness.

Thiol

R–SH · name: -thiol




Captopril, blood pressure

SPOT IT
Sulfur with an H: an alcohol with S in place of O.

WHY IT MATTERS
Smelly, and it grips metals. Captopril uses it to hold on to the zinc in its target.

Sulfide

R–S–R · name: sulfide




Methionine, an amino acid

SPOT IT
Sulfur between two carbons.

WHY IT MATTERS
Can be oxidised to a sulfoxide or a sulfone. Found in the amino acid methionine.

Sulfonamide

R–SO_2–N · name: -sulfonamide




Sulfanilamide, the first sulfa drug

SPOT IT
S with two double-bonded O and one N.

WHY IT MATTERS
Weakly acidic NH. Sulfa drugs were among the first antibiotics.

Alcohol

R–OH · name: -ol




Menthol, mint

SPOT IT
OH on a carbon that has only single bonds.

WHY IT MATTERS
Gives and takes hydrogen bonds, so it helps a molecule dissolve in water.

Phenol

Ar–OH · name: -phenol




Paracetamol, fever and pain

SPOT IT
OH sitting directly on an aromatic ring.

WHY IT MATTERS
More acidic than an alcohol, and easily oxidised.

Ether

R–O–R · name: -oxy




Guaifenesin, cough medicine

SPOT IT
Oxygen between two carbons.

WHY IT MATTERS
Takes hydrogen bonds but cannot give them. Stable, so a common link.

Aldehyde

R–CHO · name: -al




Vanillin, vanilla

SPOT IT
C=O at the end of a chain, with an H on that carbon.

WHY IT MATTERS
Reactive. Oxidises easily to an acid and reacts with amines.

Ketone

R–CO–R · name: -one




Carvone, spearmint

SPOT IT
C=O in the middle of a chain, between two carbons.

WHY IT MATTERS
Polar and takes hydrogen bonds. Less reactive than an aldehyde.

Carboxylic acid

R–COOH · name: -oic acid




Ibuprofen, pain and fever

SPOT IT
A C=O and an OH on the same carbon.

WHY IT MATTERS
Acidic. At body pH it loses its H and is charged, which helps it dissolve.

Ester

R–COO–R · name: -oate




Aspirin

SPOT IT
A C=O next to an O that joins two carbons.

WHY IT MATTERS
Fruity smells. Water and enzymes cut it, so it is often used in prodrugs.

Amine

R–NH_2 · name: -amine




Dopamine, a neurotransmitter

SPOT IT
N with only single bonds to carbon or hydrogen.

WHY IT MATTERS
Basic. It picks up H^+, so it is often charged in the body. Very common in drugs.

Amide

R–CO–NH–R · name: -amide




Paracetamol

SPOT IT
A C=O attached straight to a nitrogen.

WHY IT MATTERS
Flat, stable and not basic. It is the link that joins amino acids into proteins.

β-Lactam

4-ring amide · name: -lactam




Penicillin G, antibiotic

SPOT IT
An amide in a strained four-membered ring.

WHY IT MATTERS
Strain makes it reactive. It blocks enzymes that bacteria need to build cell walls.

Guanidine

N–C(=N)–N · name: -guanidine




Metformin, diabetes

SPOT IT
A carbon joined to three nitrogens.

WHY IT MATTERS
A very strong base, so charged in the body. Also in the amino acid arginine.

Nitrile

R–C≡N · name: -nitrile




Letrozole, breast cancer

SPOT IT
A carbon triple-bonded to a nitrogen.

WHY IT MATTERS
Small, polar and straight. A neat hydrogen-bond acceptor in many drugs.

Nitro

$R–NO_2$ · name: nitro-




Metronidazole, antibiotic

SPOT IT
N bonded to two oxygens, one of them charged.

WHY IT MATTERS
Pulls electrons. Microbes turn it into a reactive form: how metronidazole works, and a safety flag.

Halogen


R–X (F, Cl, Br, I) · name: halo-



Diclofenac, painkiller

SPOT IT
F, Cl, Br or I on a carbon.

WHY IT MATTERS
Adds greasiness and weight. A C–F bond is so strong it can slow a drug's breakdown.



SPOT THEM IN ONE MEDICINE

Paracetamol has three groups from three families.

Find the glow on each card, then find it here. Real drugs are just a few of these groups joined together.

Aromatic ring · Phenol · Amide

THIS POSTER BELONGS TO

Write your name on the line

Class or school

Chem2Cure learner — October 2026

More free posters and cheat sheets

A new molecule to learn every month.

chem2cure.com/posters

Free to print and use in classrooms, labs and reading rooms. Please do not sell it. © Chem2Cure, Institute for Chemical Research and Therapeutics · October 2026 · Check facts against your textbook.